

GHBH Series

GHBH 010 36 2R7




Technical datasheet




Goorui blower performance curves


Vacuum selection diagram curve



Compressor selection diagram curve



Goorui blower installation drawing



Goorui blower parameter

| Model | Frequency | Output | voltage | Current | airflow | pressure | | noise | Weight |
|---|-----------|--------|--------------------|-------------|-------------------|----------|------------|-------|--------|
| | | | | | | vacuum | compressor | | |
| | Hz | KW | V | A | m ³ /h | mbar | mbar | dB(A) | kg |
| 3~ 50/60Hz IP54 INSULATION class F | | | | | | | | | |
| GHBH 010 36 2R7 | 50 | 7.5 | 345-415 Δ/600-690Y | 16.7Δ/9.6Y | 320 | -440 | 570 | 73 | 77 |
| GHBH 010 36 2R7 | 60 | 8.6 | 380-480 Δ/660-720Y | 17.3Δ/10.0Y | 385 | -460 | 660 | 76 | 77 |

The performance curves of Goorui blower is tested through below ways:

Under one atmospheric pressure, suck 15°C air and then you can calculate the data, of course allow 10% difference, and when the sucked air and surroundings temperature are not higher than 25°C, you still can get total pressure difference as the curves shows.